

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM



# LISTING SERVICE

**LISTING No.** 8160-2322:0501 Page 1 of 1

**CATEGORY:** 8160 -- UNDER EAVE FOR WILDLAND URBAN INTERFACE (W.U.I)

**LISTEE:** Visscher Lumber, Inc. 6545 Lickman Road, Chilliwack, BC V2R 4A9 Canada  
Contact: Jeff Shields (604) 858-3375  
Email: jeff@visscher.ca

**DESIGN:** The Vale Engineered Cedar Tongue and Groove Siding Panels, material 19/32" thick by 5-7/16" wide. Installed on 7/16" exterior grade OSB sheathing, and Tyvek Homewrap.

Refer to manufacturer's installation instructions and product data sheets.

**RATING:** SFM 12-7A-3

**INSTALLATION:** In accordance with listee's printed installation instructions, applicable codes and ordinances, and in a manner acceptable to the authority having jurisdiction.

**MARKING:** Listee's name, model number, rating, and SFM label.

**APPROVAL:** Listed as under eave materials for use in the Wildland Urban Interface areas. Refer to listee's Installation Instruction Manual for details.

**NOTE:** Test Protocol SFM 12-7A-3

08-25-20 VWW



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other

Date Issued: **August 31, 2020**

*Listing Expires* **June 30, 2021**

Authorized By: **DAVID CASTILLO, M.E., F.P.E.**  
*Fire Engineering Division*